
Brief

Fast, Accurate, and Flexible Thermographic Temperature Screening Solution

Introducing the accurate MinMoe touch-free temperature screening solution that can be flexibly applied in multiple scenarios.



What to Sale

MinMoe Touch-free Temperature Screening Solution









Model	Appearance	Deployment	LCD screen	Temperature range and accuracy	Measurement efficiency and distance	Mask detection
		Wall mounting / floor standing with mounting pole	7 inch	30-45°C (±0.5°C) *Note1	1 s/person (0.3-2.0m)	√

How to Sale


Emphasize the Comprehensive Advantages of Hikvision Solution

Thermographic Technology that's More Competitive

Thermographic	Other Solutions
Full screen measurement	Fixed limited area measurement
Measurement by AI tracking can be accurate	Measurement in the limited fixed area can be wrong or missed
Measurement distance: 0.3 m~2.0 m	Measurement distance: 0.3 m~0.5 m
Efficiency: 1 s/person	Efficiency: 5 s/person

Visualized Display





Displays temperature results

Live view


- Prompt alarm


Professional Features:

3

Abnormal temperature trend analysis

- Temperature data storage Alarm management
- Access control Live view
- **Scenarios**











- > Note2: Temperature screening thermographic cameras are designed for the
 - detection of skin-surface temperatures so as to achieve rapid preliminary screening in public areas. Actual core body temperatures should be further confirmed using clinical measurement devices. Under any circumstances, it is highly recommended to use thermographic cameras in accordance with local laws and regulations.